

Fortisip Fortisip Fortisip Compact Prote. Compact Prote.

Compact Protein

COMPACT **PROTEIN**

- Compact 125ml formula, designed to support patient adherence.1,2
- Easy to use, ready-to-drink format.
- 18g protein and 300kcal per 125ml bottle.
- Low lactose (<2g Lactose / 100ml).
- Evidence based, backed by over 15 studies, over half of which were conducted in older malnourished adults.3-17
- User-friendly bottle: ergonomic plastic bottle, with resealable easy to open cap.

FORTISIP COMPACT FIBRE

HIGH ENERGY. LOW VOLUME

2.4 kcal/ml



125ml 300kcal 12g protein 4.5g fibre

> Vanilla Strawberry

FORTISIP PLANTBASED

HIGH QUALITY PLANT PROTEIN

1.5 kcal/ml



200ml 300kcal 12g protein

> Mocha Mango Passionfruit

FORTIJUCE

Neutral

JUICE STYLE

1.5 kcal/ml



200ml 300kcal 7.8g protein Fat free Reduced mineral

content

2.4 kcal/ml

rtisip tisip tisip trisip

Tropical

mf

FORTISIP 2KCAL

HIGH ENERGY, HIGH PROTEIN

2.0 kcal/ml



200ml 400kcal 20g protein

Vanilla

FORTISIP

HIGH ENERGY

1.5 kcal/ml



FORTISIP MULTI FIBRE

UNIQUE FIBRE BLEND





Mf6 is a patented blend of six soluble and insoluble fibres.

MALNUTRITION

DIABETES

DIASIP

OPTIMAL MACRONUTRIENT RATIO FOR IMPAIRED GLUCOSE TOLERANCE

1.04 kcal/ml



200ml 208kcal 9.8g protein

Vanilla

WOUNDS

CUBITAN

SUPPORTS TISSUE REGENERATION AND COLLAGEN SYNTHESIS

1.24 kcal/ml



200ml 250kcal 18g protein

Vanilla

RENAL DISEASE



RENILON 7.5 HIGH PROTEIN REQUIRING DIALYSIS

2.0 kcal/ml

249kcal 9.8g protein


RENILON 4.0

LOW PROTEIN TYPICALLY PRE-DIALYSIS

2.0 kcal/ml

249kca 5a protein

EARLY ALZHEIMER'S DISEASE INCLUDING MILD COGNITIVE IMPAIRMENT (MCI)



Souvenaid® is designed to be taken as one bottle (125ml) or one serve (3 scoops of powder mixed with 100ml water) once a day, in addition to the patient's normal dietary intake.

SUPPORT MEMORY FUNCTION IN EARLY ALZHEIMER'S DISEASE, INCLUDING MCI, WITH SOUVENAID¹⁸⁻²⁰



CONTAINS A UNIQUE COMBINATION OF NUTRIENTS KNOWN AS FORTASYN CONNECT

formulated to nutritionally support the growth of brain connections.²¹



20 YEARS OF RESEARCH

Backed by 20 years of research, supported by an ongoing research program. 18-20, 22



SAFE AND WELL TOLERATED

Souvenaid® liquid has been found to be safe and well tolerated when used alone or alongside common Alzheimer's disease medications.18-20,22

HOW TO ACCESS FORTISIP® AND SOUVENAID®:



Do you have questions about best ways to access?

Contact your local Nutricia Business Development Manager to discuss tailored solutions for your setting.



Funded access

If the individual you support is eligible for a Home Care Package (transitioning to the Support at Home program from 1st November), NDIS funding, or holds a DVA Card, they may be able to use this funding to purchase Fortisip® or Souvenaid®. For more information, please contact your Home Care provider or Nutricia Careline team on 1800 438 500.

NUTRICIA EXPERTISE IS HERE TO SUPPORT YOU



Product & nutrition advice

If you're unsure which product is most suitable for the individual's unique needs, our Careline team of expert health professionals can provide free product support, information, and general nutrition advice. Email: nutriciacareline@danone.com & 1800 438 500 (Mon–Fri, 7:30am–5:00pm AEST)



Clinical support

Our national team of registered nurses, experienced in enteral feeding, is available on \$\&\) 1300 557 397 (Mon-Fri: 7am-9pm | Weekends & Public Holidays: 9am-5pm AEST)



Education & training support

Please contact your Nutricia Business Development Manager to understand what tailored education and support is available for your organisation.

SCAN THE QR CODE TO ORDER A FREE SAMPLE

Fortisip®, Souvenaid®, Renilon, Cubitan and Diasip are foods for special medical purposes and must be used under medical supervision.

FOR HEALTHCARE PROFESSIONAL USE ONLY - NOT FOR DISTRIBUTION TO THE GENERAL PUBLIC

References: 1. Hubbard G, et al. Clin Nutr. 2012,31(3):293-312. 2. Hubbard G, et al. Proc Nutr Soc. 2010; 69(OCE2). 3. Smith TR, et al. Nutrients. 2020;12(2):517. 4. Grönstedt H, et al. JAMDA. 2020;21(9):1229-1237. 5. Ter Wee P, et al. J Nutr Health Aging. 2016;20(9):944-51. 6. Aldhahir AM, et al. ERJ Open Res. 2021;7(1):00077-2021. 7. Brown F, et al. J Nutr Health Aging. 2020;24(3):305-11. 8. Dingemans A, et al. Nutrients. 2023;15(24):5030. 9. Frederiksen AKS, et al. Clin Nutr Open Sci. 2022;42:148-159. 10. Grupińska J, et al. Nutrients. 2021;13(10):3549.

11. Leon-Sanz M, et al. Front Nutr. 2023;10:1182445.12. Obukhova O et al. ESPEN. 23-ABS-1385. 13. Pedersen MM, et al. Trials. 2019;20(1):655. 14. Roberts S, et al. Abstract LB71-T. Clinical Nutrition ESPEN S8(2023);424-750. 15. Torrinhas RS, et al. Nutr Clin Pract. 2022;37:1152-1161. 16. Vikstrom S, et al. BMC Geriatrics. 2020;20(1):324. 17. Ziętarska M, et al. Nutrients. 2017;9(10):1108. 18. Scheltens P et al. Alzheimers Dement 2010; 6: 1–10.e1. 19. Scheltens P et al. J Alzheimers Dis 2012; 31: 225–236. 20. Soininen H, et al. Alzheimer's Dement. 2021;17:29–40. 21. Sijben et al. OCL 2011:18;267-270. 22. Shah RC et al. Alzheimers Res Ther 2013; 5: 59.

Nutricia Áustralia Pty Ltd. The Zenith, Tower B, Level 12, 821 Pacific Highway, Chatswood, NSW, 2067, Australia. NC5056-Aug25

