Locaso Formula

FEATURES

A nutritionally complete powdered feed containing cow's milk protein, carbohydrate, fat, vitamins, minerals and trace elements with a very low calcium and vitamin D content.



400g Tin



Ordering Information:

To order, contact Nutricia Customer Experience on 1800 889 480

Locasol Formula	Presentation	Product code	Units per carton
Unflavoured	400g Tin	195413	6 x 400g

INDICATIONS

 For the dietary management of hypercalcemia where an extreme restriction of calcium and vitamin D is required. Can be used in infants as a sole source of nutrition and children and adults as supplementary nutrition.

IMPORTANT NOTICE

- Must be used under medical supervision.
- Not for parenteral use.
- Suitable for use as a sole source of nutrition.
- Powdered infant formula is not sterile.
- Infant formula should be prepared immediately prior to feeding and any remaining formula should be discarded if not used within one hour.
- Formula should not be warmed for longer than 15 minutes prior to feeding.
- Do not boil formula and do not use a microwave oven to prepare or warm formula.
- FOR INFANT FORMULA: The health of the infant depends on carefully following the directions for preparation and use. Incorrect preparation can make the baby ill.
- Use only the scoop provided. Each level scoop (4.3g) of Locasol formula requires 30ml of water to yield the recommended feed concentration (12.9% w/v). When preparing any infant feed, please follow the guideline

PREPARATION AND ADMINISTRATION

- Recommended feed concentration is 12.9%w/v (i.e. 12.9g of Locasol made up to 100ml with water). A lower concentration may be required initially until tolerance is achieved.
- The dosage should be determined by a clinician or dietitian only and is dependent on the age, body weight and medical condition of the patient.dietitian only, and is dependent on the age, bodyweight and medical condition of the patient.

PREPARATION GUIDELINES

- Wash hands thoroughly and clean the preparation area. Sterilise bottles and teats (if using).
- Boil fresh water for five minutes and allow to cool for at least 30
 minutes so that it feels warm to the wrist. Pour the required amount of
 water into a sterilised feeding bottle.
- Fill the scoop provided with infant formula and level off with a clean dry knife. Do not press the powder into the scoop. Only use the scoop provided.

- Add the prescribed number of scoops of infant formula to the water. Replace cap on the bottle and shake until powder is dissolved. Before feeding, ensure that the formula is at the correct temperature by placing a few drops on the wrist.
- Formula remaining in the bottle after one hour of feeding should be discarded. Formula must not be rewarmed during feeding.

STORAGE

- Store in a cool, dry place.
- Always replace the container lid after use.
- Once opened, use within one month.

INGREDIENTS

Lactose (from Cows' Milk), Vegetable Oil (Palm, Sunflower, Rapeseed, Coconut), Demineralized Whey Powder (from Cows' Milk), Sodium Caseinate (from Cows' Milk), Potassium Chloride, L-Cystine, Fish Oil, Choline Bitartrate, Oil from Mortierella Alpina, Dipotassium Hydrogen Phosphate, Magnesium Citrate, Magnesium Hydrogen Phosphate, L-Ascorbic Acid, L-Carnitine, Ferrous Sulphate, Inositol, Antioxidant (ascorbyl palmitate), Zinc Sulphate, Taurine, Sodium Carbonate, Nicotinamide, DL-Alpha Tocopherol, Calcium-D-Pantothenate, Potassium Iodide, Copper Sulphate, Retinyl Acetate, Thiamin Mononitrate, Riboflavin, Pyridoxine Hydrochloride, Manganese Sulphate, Pteroylmonoglutamic Acid, Chromium Chloride, Sodium Molybdate, Sodium Selenite, Phytomenadione D-Biotin, Cyanocobalamin.

ALLERGEN & CULTURAL INFORMATION

- · No Gluten containing ingredients.
- Caffeine- free
- · Contains milk and fish

NUTRITION INFORMATION*	Per 100g	Per 100ml*	
_	Kcal	514	66
Energy	Kj	2149	277
Protein equivalent	g	14.8	1.9
Carbohydrate	g	53.7	6.9
of which Sugars	g	52.8	6.8
Lactose	g	52.7	6.8
Fat	g	26.7	3.4
Saturates	g	11.9	1.5
Monounsaturates	g	10.8	1.4
Polyunsaturates	g	4.1	0.52
DHA	g	0.13	0.016
ARA	g	0.13	0.016
LA/ALA	ratio	9.8:1	9.8:1
Linoleic Acid (LA)	g	3.23	0.416
Alpha Linolenic Acid (ALA)	g	0.33	0.04
Dietary Fibre	g	-	-
VITAMINS		Per 100g	Per 100ml*
Vitamin A	μg	584	75.3
Vitamin D	þg	-	-
Vitamin E	mg α-TE	9.06	1.17
Vitamin K	þg	25.3	3.26
Thiamin	mg	0.46	0.06
Riboflavin	mg	0.77	0.1
Niacin	mg	4.66 (8.15)	0.6 (1.05)
Pantothenic Acid	mg	3.17	0.41
Vitamin B6	mg	0.29	0.04
Folic Acid	рg	69.8	9.00
Folate	рg	120	15.5
Vitamin B12	рg	0.97	0.12
Biotin	рg	14.0	1.80
Vitamin C	mg	69.6	8.97

MINERALS		Per 100g	Per 100ml*
Sodium	mg (mmol)	223 (9.69)	28.7 (1.25)
Potassium	mg (mmol)	512 (13.1)	66.1 (1.69)
Chloride	mg (mmol)	384 (10.8)	49.6 (1.4)
Calcium	mg (mmol)	<40 (<1)	<5.16 (<0.13)
Phosphorus	mg (mmol)	171 (5.54)	22.1 (0.71)
Phosphate	mg (mmol)	526 (5.54)	67.8 (0.71)
Magnesium	mg (mmol)	42.7 (1.76)	5.51 (0.23)
Iron	mg	7.78	1.0
Zinc	mg	3.89	0.5
Copper	mg	390	0.05
Manganese	mg	0.051	0.007
Fluoride	mg	-	-
Molybdenum	μg	19.4	2.51
Selenium	μg	20.6	2.66
Chromium	μg	15.4	1.99
lodine	μg	96.3	12.4
OTHER			
L-Carnitine	mg	30.2	3.89
Choline	mg	160	20.7
Inositol	mg	25.6	3.31
Taurine	mg	6.96	0.9
Water			
Osmolality	mOsmol/L	-	261

^{*}At recommended concentration of 12.9% w/v.

For more information call the Nutricia Careline 1800 060051
NutriciaCareline@danone.com